



VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

The purpose of the **Voluntary Product Accessibility Template**, or **VPAT™**, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial “Electronic and Information Technology” products and services with features that support accessibility. It is assumed and recommended that offerers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, e.g., “equivalent facilitation.” The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

Date: 1/11/2016

Name of Product: Mediasite Recorder Interface 7.x

Contact for more Information (name/phone/email): Tom Irons / 608.770.7518
 / Tom.Irons@sonicfoundry.com

Summary

<i>Criteria</i>	Supporting Features	Remarks and explanations
Section 1194.21 Software Applications and Operating Systems	Applicable	Supports with exceptions
Section 1194.22 Web-based Internet Information and Applications	Applicable	Supports with exceptions
Section 1194.23 Telecommunications Products	Not Applicable	-
Section 1194.24 Video and Multi-media Products	Applicable	Supports with exceptions
Section 1194.25 Self-Contained, Closed Products	Not Applicable	-
Section 1194.26 Desktop and Portable Computers	Not Applicable	-
Section 1194.31 Functional Performance Criteria	Applicable	Supports
Section 1194.41 Information, Documentation and Support	Applicable	Supports with exceptions

VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

Section 1194.21 Software Applications and Operating Systems – Detail

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supports when combined with Compatible Assistive Technology	Mediasite Recorder Interface requires a mouse for its use. Users can use mouse emulation software, or rely on scheduling, which automates recording.
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Supports	The Mediasite Recorder Interface runs through the browser and does not disable accessibility features of the browser or operating system.
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Supports when combined with Compatible Assistive Technology	Using assistive technology provided by the underlying operating system or other third-party software will achieve this.
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Supports with exceptions	Most UI elements are available to assistive technologies.
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be	Supports	The meaning assigned to all images are consistent throughout the application.

VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

consistent throughout an application's performance.		
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports with exceptions	Most UI elements are available to assistive technologies.
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supports	The Mediasite Recorder interface is browser based, and does not override any individual settings.
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Supports with exceptions	User will need use a multi-view recorder and reserve one stream for this information.
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	There are also textual indicators, or graphical indicators that do not rely only on color.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Supports when combined with Compatible Assistive Technology	Mediasite Recorder Interface users can make these changes via the operating system or third-party applications.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supports	There are no default objects, text or elements that violate this. Content creators will need to refrain from adding any when customizing.
(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Not Applicable	There are no forms for the Mediasite Recorder Interface.

VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

Section 1194.22 Web-based Internet information and applications – Detail

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Not supported	
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Supports with exceptions	
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Supports	There is nothing in the Mediasite Recorder Interface that exclusively relies on color to understand.
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Not Applicable	Mediasite Recorder Interfaces are web applications.
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not Applicable	Mediasite Recorder Interfaces do not contain image maps.
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	Not Applicable	Mediasite Recorder Interfaces do not contain image maps.
(g) Row and column headers shall be identified for data tables.	Not Applicable	Mediasite Recorder Interfaces do not have data tables.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Not Applicable	Mediasite Recorder Interfaces do not have data cells.
(i) Frames shall be titled with text that facilitates frame identification and navigation	Supports with exceptions	A mouse or keyboard mouse emulation will be required to access some frames.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Supports	All pages in Mediasite Recorder Interface are designed to avoid causing screen flicker greater than 2 Hz and lower than 55 Hz.
(k) A text-only page, with equivalent information or functionality, shall be	Does not support	There is no text-only Mediasite Recorder Interface.

**VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3**

provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.		
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Supports with exceptions	There are UI elements within some within the Mediasite Recorder Interface that do not have functional text.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Supports	Whenever a plug-in is required, the application provides such a link.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports	If an end-user needs to login to view a presentation, they can use assistive technology to do access that information.
(o) A method shall be provided that permits users to skip repetitive navigation links.	Not applicable	There are no repetitive navigational links in the Mediasite Recorder Interface.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Supports	The only timed response is to extend an automated recording time. User can configure the amount of time up to 15 minutes .

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

Section 1194.23 Telecommunications Products – Detail

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not Applicable	Mediasite Recorder Interface does not provide voice communication.
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	Not Applicable	Mediasite Recorder Interface does not provide voice communication.
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not Applicable	Mediasite Recorder Interface is not a telecommunications system.
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	Not Applicable	Mediasite Recorder Interface is not a telecommunications system.
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	Not Applicable	Mediasite Recorder Interface is not a telecommunications system.
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not Applicable	Mediasite Recorder Interface is not a telecommunications system.

VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

<p>(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface is not a telecommunications product.</p>
<p>(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface is not a telecommunications product.</p>
<p>(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface is not a telecommunications product.</p>
<p>(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface is not a telecommunications product.</p>
<p>(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface is not a telecommunications product.</p>
<p>(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface is not a telecommunications product.</p>



**VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3**

<p>(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface is not a telecommunications product.</p>
<p>(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface is not a telecommunications product.</p>

Section 1194.24 Video and Multi-media Products – Detail

Criteria	Supporting Features	Remarks and explanations
<p>a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface does not have an analog display.</p>

VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	Not Applicable	Mediasite Recorder Interface does not have a tuner card.
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	Supports with exceptions	The presentations that can be contained within Mediasite Recorder Interfaces can have captioning added either by a captioning provider, or by uploading SAMI, DFXP, or SRT files. Equivalent text is supported for slides. Both of these are available through post-production.
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	Supports with exceptions	Links to audio description files can be placed within presentations that reside in the Mediasite Recorder Interface, or can be uploaded as a separate presentation. Both methods require post-production, and are not live.
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	Supports	Whenever closed-captioning exists within any presentation in the Mediasite Recorder Interface, it is user selectable.

Section 1194.25 Self-Contained, Closed Products – Detail

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Not Applicable	Mediasite Recorder Interface is not a self-contained, closed-product.
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Supports	Mediasite Recorder Interface is not a self-contained, closed-product.

VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

<p>(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).</p>	<p>Not Applicable</p>	<p>Mediasite Recorder Interface is not a self-contained, closed-product.</p>
<p>(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.</p>	<p>Supports</p>	<p>Mediasite Recorder Interface can be accessed via the Management Portal, bypassing this.</p>
<p>(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.</p>	<p>Supports</p>	<p>Mediasite Recorder Interface is not a self-contained, closed-product..</p>
<p>(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.</p>	<p>Not applicable</p>	<p>Mediasite Recorder Interface is not a self-contained, closed-product.</p>
<p>(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	<p>Not applicable</p>	<p>Mediasite Recorder Interface is not a self-contained, closed-product.</p>
<p>(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.</p>	<p>Not applicable</p>	<p>Mediasite Recorder Interface is not a self-contained, closed-product.</p>
<p>(i) Products shall be designed to avoid causing the screen to flicker with a</p>	<p>Not applicable</p>	<p>Mediasite Recorder Interface is not a self-contained, closed-product.</p>

VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

frequency greater than 2 Hz and lower than 55 Hz.		
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	Not applicable	Mediasite Recorder Interface is not a self-contained, closed-product.
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	Not applicable	Mediasite Recorder Interface is not a self-contained, closed-product.
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	Not applicable	Mediasite Recorder Interface is not a self-contained, closed-product.
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	Not applicable	Mediasite Recorder Interface is not a self-contained, closed-product.

VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3

Section 1194.26 Desktop and Portable Computers – Detail

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	Not Applicable	
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not Applicable	
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Supports	End-users can log into the Mediasite Recorder Interface without biometrics.
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards	Not Applicable	The Mediasite Recorder Interface is a software product.

Section 1194.31 Functional Performance Criteria – Detail

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Does Not Support	Assistive technology can be used for most UI features, but Mediasite Recorder Interface has some feedback that requires vision to use.
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supports when combined with Compatible Assistive Technology	Assistive technology can be used to meet this requirement.
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support	Supports	No hearing is required to use the Mediasite Recorder Interface.

**VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3**

for Assistive Technology used by people who are deaf or hard of hearing shall be provided		
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supports	Audio is not necessary to use Mediasite Recorder Interface, but presentations contained within may require audio. Content creators have the ability to create alternate audio files, and upload them into a Mediasite Recorder Interface.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Not Applicable	No mode of operation or information retrieval requires speech.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supports with exceptions	Scheduling a recording can eliminate the mouse or keyboard mouse emulation requirement.

Section 1194.41 Information, Documentation and Support – Detail

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge	Supports with exceptions	End users (viewers) of content created by Mediasite are not supported. Beyond our documentation, end users of Mediasite Recorders and the Mediasite Enterprise Video Platform who have a support contract with Sonic Foundry can receive auditory help by calling our Tech Support phone number.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in	Supports with exceptions	End-users (viewers) of content created by Mediasite are not supported. End-users of the Mediasite Enterprise Video



**VPAT™ (Voluntary Product Accessibility Template®)
Version 1.3**

<p>alternate formats or alternate methods upon request, at no additional charge.</p>		<p>Platform who have a support contract with Sonic Foundry can receive auditory help by calling our Tech Support phone number. A technical planner on accessibility is also available in text format.</p>
<p>(c) Support services for products shall accommodate the communication needs of end-users with disabilities.</p>	<p>Supports with exceptions</p>	<p>Customers under a support contract have multiple means of communicating with Sonic Foundry support staff including email or phone. A searchable knowledge base of online articles is also available.</p>